



The Classics+ Collection





About Ua Floors

Founded in 1992 with an emphasis on health, quality and environmental friendly manufacturing practices, Ua adheres to this philosophy and provides its customers with nothing less ever since.

We meticulously choose from sustainable materials and produce with minimum waste, without compromising on the quality of our products and caring about our customers' health.

Our flooring complies with CARB II and E1, the most stringent volatile organic compound (VOC) emission standards and to boost your health further we apply FIR Energy coating to our products.

Non-toxic, Energy, Health, Green Lifestyle!

Bring the goodness of nature into your home!

Certified quality

Our eco-friendly plywood is non-toxic and meets the ultra-low formaldehyde emission standard CARB II and the European E1 standard.



Safe and healthy environment for kids

Nano-bacteriostatic technology in our floorings' coating with its proven resistance to bacteria helps to provide a safe and healthy environment for your children and you.

Far Infrared Energy Flooring - Not just wood flooring

Far Infrared Rays, also known as biogenetic rays are part of the invisible sunlight spectrum. They promote health and growth of living cells, in plants, animals and human beings.

The human body contains more than 60% water by weight. When skin comes in contact with Ua Far Infrared (FIR) Energy Flooring, the FIR energy causes a resonance that ionizes and activates the water molecules in our body's cells and blood, thus improving blood circulation.



Images taken with a 360x microscope to compare microvascular blood circulation before and after direct skin contact with Ua Floors' Far Infrared Energy coated flooring.

Body warmth development when standing on Ua FIR Energy Flooring taken with a thermal imaging camera.



EPA TSCA Title VI CARB II





The Classics⁺ Collection

Our Classics⁺ Collection offers you several different dimensions to choose from, including width of 5 1/2", 7 1/2" with overall thickness 9/16" and 9 1/2" with overall thickness 1/2". Made of select lumber one plank at a time, this flooring are all clear surface and will always be in trend.

Coco Chanel once said "Fashion fades, only style remains the same" - trends come and go, and only classics will remain appreciated for years to come. Inspired by the masterpieces of Monet, Caillebotte, Millet, Degas and Da Vinci, Classics flooring is a true piece of art that will always receive compliments from your friends and family.

At Ua Floors, the love of wood and the respect for nature have always been the key values. The Classics⁺ is technically advanced and fits well in traditional and contemporary designs.

Width 7.5"



Ballet Dancer Oak

TC19003-DC



Gleaners Oak

TC19003-GL



Riviere Oak

TC19003-RE



Mona Lisa Oak

TC19003-MN

Width 9.5"



Argenteuil Oak

TC24003-EL



Easter Oak

TC24003-SR



Impression Oak

TC19003-IP



Golden Age Oak

TC19003-GD




Riverbank Oak

TC24003-VB



Sunflowers Oak

TC24003-NL



Golden Autumn Oak

TC19003-GA



Quarter Sawn Oak

TC14002-NL

Width 5.5" (Rift & Quarter)



TC14002-NL



TC19003-RE



TC24003-EL



THE BEST PRODUCT OFFERED IN THE INDUSTRY

With a 25 year warranty* on the finish, your flooring investment is protected for years to come.

*25 year limited residential wear warranty.
1 year limited commercial wear warranty.

For more information on our warranty, ask your authorized Ua retailer or visit our website at www.uafloors.com.

Dimensions:

7 1/2" (190mm)W x 3/16" (14.5mm)TK x 1 ~7 feet randomly nested in each box
5 1/2" (140mm)W x 3/16" (14.5mm)TK x 1 ~7 feet randomly nested in each box

- 1 Multi-layer, Environmental friendly UV oil finish
- 2 1/8" (3mm) top wear layer
- 3 12mm Birch plywood

9 1/2" (240mm)W x 1/2" (12.5mm)TK x 1 ~7 feet randomly nested in each box

- 1 Multi-layer, Environmental friendly UV oil finish
- 2 1/12" (2mm) top wear layer
- 3 11mm Birch plywood



Printing technology does not fully reflect the color and luster of the floor. It is recommended that you contact the sales to get the correct sample.



Living on Wood Flooring



TC24003-SR



Ua Floors®

<https://www.uafloors.com>

North America:

TEL:+1-909-598-9900 Us eFAX:+1-770-234-6219

Head Office:

TEL:+886-5-551-5757 FAX:+886-5-551-5567 E-mail:marketing@uafloors.com

No.38,Ke-Jia Road,Douliu City,Yunlin County 640 Taiwan